

[China Volumetric Plastic Water Meter, Manufacturer, Supplier, Factory, Exporter in china](#)



[Volumetric remote Reading Plastic Water Meter](#)

Product name: Volumetric remote Reading Plastic Water Meter Specification: LXH-15S-20S

Type: PLASTIC APPLICATION: * Measuring the volume of cold potable water passing through the pipeline. FEATURES: * Completely plastic shell, solid and robust design, long service guaranteed; * High quality materials fiberglass reinforced polymerization amine corrosion resistance; * Plastic thread connecting couplings; * Optimum accuracy and performance at all times, in any position; * Revolutionary grooved piston for improved, durability and performance; * Durable tamperproof construction; * Volumetric meter, on principle of piston rotation, accurate measurement, easy and long term clear reading, etc; * Measuring accuracy is up to ISO4064, Class C. WORKING CONDITION: * Water temperature: 50°C * Water pressure: 1.0MP (10bar) Data Output Options: * 1 L/Pulse MAXIMUM PERMISSIBLE ERROR: * In the lower zone from q_{min} inclusive up to but excluding q_t is 5%; * In the upper zone from q_t inclusive up to and including q_s is 2% ACCESSORIES: * Optional: Both brass connections and plastic connections are available.

Volumetric Dry Type Plastic Water Meter

Product name: Volumetric Dry Type Plastic Water Meter
Specification: LXH-15S Type: PLASTIC

APPLICATION: * Measuring the volume of cold potable water passing through the pipeline.

FEATURES: * Completely plastic shell, solid and robust design, long service guaranteed; * High quality materials fiberglass reinforced polymerization amine corrosion resistance; * Plastic thread connecting couplings; * Optimum accuracy and performance at all times, in any position; * Revolutionary grooved piston for improved, durability and performance; * Durable tamperproof construction; * Volumetric meter, on principle of piston rotation, accurate measurement, easy and long term clear reading, etc; * Measuring accuracy is up to ISO4064, Class C. WORKING CONDITION: * Water temperature: 50oC * Water pressure: 1.0MP (10bar) MAXIMUM PERMISSIBLE ERROR: * In the lower zone from q_{min} inclusive up to but excluding q_t is 5%; * In the upper zone from q_t inclusive up to and including q_s is 2% ACCESSORIES: * Optional: Both brass connections and plastic connections are available.



Volumetric Plastic Water Meters

Product name: Volumetric Plastic Water Meters
Specification: LXHG-15S-20S Type: PLASTIC

APPLICATION: * Measuring the volume of cold potable water passing through the pipeline.

FEATURES: * Completely plastic shell, solid and robust design, long service guaranteed; * High quality materials fiberglass reinforced polymerization amine corrosion resistance; * Plastic thread connecting couplings; * Optimum accuracy and performance at all times, in any position; * Revolutionary grooved piston for improved, durability and performance; * Durable tamperproof construction; * Volumetric meter, on principle of piston rotation, accurate measurement, easy and long term clear reading, etc; * Measuring accuracy is up to ISO4064, Class C. WORKING CONDITION: * Water temperature: 50o * Water pressure: 1.0MP (10bar) MAXIMUM



PERMISSIBLE ERROR: * In the lower zone from q_{min} inclusive up to but excluding q_t is 5%; * In the upper zone from q_t inclusive up to and including q_s is 2% . ACCESSORIES: Optional: Both brass connections and plastic connections are available.

[Plastic Water Meter](#), [plastic water meters](#) , [plastic water meter manufacturers](#) , [plastic water meter suppliers](#) , [Multi Jet Plastic Water Meter](#), [Single Jet Plastic Dry Type Water Meter](#), [Volumetric Plastic Water Meter](#), [Multi Jet Water Meter](#), [multi jet water meters](#) , [multi jet water meter manufacturer](#) , [Vane Wheel Liquid Sealed Water Meters](#), [Multi Jet Rotary Vane Wheel Dry Water Meter](#), [Multi Jet Rotary Vane Wheel Wet Water Meter](#), [Vertical Type Vane Wheel Water Meters](#), [Single Jet Water Meter](#), [single jet water meters](#) , [single jet dry water flow meter](#) , [Single Jet Dry Type Water Meter](#), [Single-Jet Dry Type Plastic Water Meter](#), [Dry Type Remote Reading Plastic Water Meter](#), [Remote Reading Water Meter](#), [remote reading water meters](#) , [Multi Jet Vane Wheel Dry Dail Water Meter](#), [Dry Type Remote Reading Plastic Water Meter](#), [Volumetric Plastic Remote Reading Water Meter](#), [Volumetric Dry Remote Reading Plastic Water Meter](#), [Volumetric Remote Reading Water Meter](#), [Volumetric Dry Type Remote Reading Water Meter](#), [Rotary Postion Water Meter](#), [rotary postion water meters](#) , [Rotary Postion Volumetric Water Meters](#), [Volumetric Dry Type Water Meter](#), [Volumetric Plastic Rotary Postion Water Meter](#), [Volumetric Dry Remote Reading Plastic Water Meters](#), [Volumetric Remote Reading Water Meters](#), [Woltmann Water Meter](#), [woltman water meters](#) , [woltman water meter manufacturers](#) , [woltman water meter suppliers](#) , [Horizontal Woltman Detachable Water Meter](#), [Horizontal Woltman Type Water Meter](#), [Vertical Woltman Detachable Water Meter](#),

NINGBO YUXING WATER METER CO., LTD

Add: Shangtian Town Developing Zone, Fenghua, Zhejiang, China

Contact: mo

Tel: 574-88637938

Fax: 574-88632638

E-mail: sales@watermeteryx.com

WebSite: <http://www.watermeteryx.com>